

# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

egger LP/H Material clear, pink-transparent

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture

Ligth curing one component material for the fabrication of earmoulds.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor: egger Otoplastik+Labortechnik GmbH

Street/POB-No.: Aybühlweg 59

Postal code/city/country: 87439 Kempten/Germany

Telephone: +49 831 58113-60 Telefax: +49 831 58113-14 Internet: www.egger-labor.com E-mail: sales@egger-labor.de

#### 1.4. Emergency telephone number: +49 89 19240

Emergency number: Munich, Germany, toxicological dep. of the II. Med. Hospital)

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**Regulation (EC) No. 1272/2008** 

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

Regulation (EC) No. 1272/2008

#### Special labelling of certain mixtures

EUH208 Contains diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of acrylic/methacrylic resins with auxilliary matters.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

# After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.



# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



Page 2 of 8

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e. g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



Page 3 of 8

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

#### Advice on storage compatibility

Keep away from spontaneous flammable or combustible substances.

#### Further information on storage conditions

Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on teh presence of oxygen (air).

#### 7.3. Specific end use(s)

Ligth curing material for teh production of earmoulds. For use by trained specialist staff.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### Eye/face protection

Wear eye/face protection.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber).

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.



# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	liquid		
Colour	clear, pink		
Odour	faintly like esters		
		Test method	
pH-Value	not determined		
Changes in the physical state			
Melting point	not determined		
Initial boiling point and boiling range	not determined		
Flash point	> 100 °C	DIN 51755	
Flammability			
Solid	not applicable		
Gas	not applicable		
Lower explosion limits	not determined		
Upper explosion limits	not determined		
Auto-ignition temperature			
Solid	not applicable		
Gas	not applicable		
Decomposition temperature	>= 190 °C		
Oxidizing properties			
not oxidizing			
Vapour pressure (at 20 °C)	< 1hPa		
Densitiy (at 20 °C)	1.1-1.2 g/cm³	DIN 51757	
Water solubility	insoluble		
Solubility in other solvents			
not determined			
Partition coefficient	not determined		
Vapour density	not determined		
Evaporation rate	not determined		

# 9.2. Other information

Solid content

not determined

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.



# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



Page 5 of 8

#### 10.3. Possibility of hazardous reactions

Reacts with: strong oxidising agents, strong alcaline or acidic materials.

#### 10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth, between 15  $^{\circ}$ C - 25 $^{\circ}$ C / 59  $^{\circ}$ F - 77  $^{\circ}$ F.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met. For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.



# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



Page 6 of 8

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

#### 14.1. UN number

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es)

No dangerous good in sense of this transport regulation.

# 14.4. Packing group

No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

### 14.1. UN number

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es)

No dangerous good in sense of this transport regulation.

# 14.4. Packing group

No dangerous good in sense of this transport regulation.



# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



Page 7 of 8

#### Marine transport (IMDG)

#### 14.1. UN number

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es)

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group

No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

#### 14.1. UN number

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name

No dangerous good in sense of this transport regulation.

# 14.3. Transport hazard class(es)

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group

No dangerous good in sense of this transport regulation.

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulatory information

#### Water contaminating class (D)

1 - slightly water contaminating.

#### Skin resorption/Sensitization

Causes allergic hypersensitivity reactions.

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Product Name: egger LP/H Material clear, pink-transparent

REF: 30000, 30005, 30008, 30100, 30105, 30108

Date of print: 15.11.2017 Date of last alteration: 15.11.2017



Page 8 of 8

### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route(European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 %

LD50: Lethal dose, 50 %

#### Relevant H and EUH statements (number and full text)

EUH208 Contains diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### **Identified uses**

No	Short title	SU main	SU	PC	PROC	ERC	AC	Specification
1	Gewerblich	_	_	_	_	_	_	2

SU main: Main user groups

SU: Sectors uf use PC: Product categories PROC: Process categories

ERC: Environmental release categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)